JOURNAL OF DAIRY RESEARCH

EDITED BY

B. A. ROLLS
M. L. GREEN
AFRC Institute of Food Research, Reading Laboratory,
Shinfield, Reading RG2 9AT, UK

Consulting Editors

R. G. VERNON
B. A. LAW

Assistant Editors

B. F. BONE
MARY C. A. GRIFFIN
C. J. WILDE

Editorial Assistant

B. GILLIAN DAY

Secretary

C. J. STAKER

CAMBRIDGE
UNIVERSITY PRESS

VOLUME 60, 1993

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011–4211
10 Stamford Road, Oakleigh, Melbourne 3166 Australia

© Proprietors of *Journal of Dairy Research* 1993

Printed in Great Britain by the University Press, Cambridge

Contents

No. 1 (February 1993)

PAGE

Response of Jersey and Friesian cows to once a day milking and prediction of response based on udder characteristics and milk composition. V. R. CARRUTHERS, S. R. DAVIS, A. M. BRYANT, H. V. HENDERSON, C. A. MORRIS and P. J. A. COPEMAN 1

Effects of oxytocin, machine stripping and milking rate on production loss of cows milked once a day. V. R. CARRUTHERS, S. R. DAVIS and P. J. A. COPEMAN 13

Classification of newly calved cows into moderate and severe responders to experimentally induced *Escherichia coli* mastitis. G. VANDEPUTTE-VAN MESSOM, C. BERVENICH, E. ROETS, A.-M. MASSART-LEËN, R. HEYNEMAN, W. D. J. KREMER and A. BRAND 19

Effect of pre-milking teat dipping on clinical mastitis on dairy farms in England. J. E. HILLERTON, M. F. H. SHEARN, R. M. TEVERSON, S. LANGRIDGE and J. M. BOOTH 31

Effect of breed, protein genetic variants and feeding on cows' milk coagulation properties. D. MACHEBOEUF, J.-B. COULON and P. D'HOUR 43

Comparison of the ability to bind lipids of β-lactoglobulin and serum albumin from ruminant and non-ruminent species. M. D. PÉREZ, P. PUYOL, J. M. ENA and M. CALVO 55

Binding from Mg^{2+} and Ca^{2+} to β-casein A^1: a multi-nuclear magnetic resonance study. N. M. WAHLGREN, P. DEJMEK and T. DRAKENBERG 65

Ultrafiltration of defatted whey: improving performance by limiting membrane fouling. G. DAUFIN, F. MICHEL, J.-P. LABBÉ, A. QUEMERAIS and A. GRANGEON 79

Fractionation of whey protein components through a large pore size, hydrophilic, cellulosic membrane. R. K. MEHRA and W. J. DONNELLY . . 89

Purification and identification of TGF-β2-related factor from bovine colostrum. Y. TOKUYAMA and H. TOKUYAMA 99

Short communications

Application of reversed-phase HPLC to the study of proteolysis in UHT milk. R. LÓPEZ-FANDIÑO, A. OLANO, C. SAN JOSÉ and M. RAMOS 111

Comparative study by HPLC of caseinomacropeptides from cows', ewes' and goats' milk. R. LÓPEZ-FANDIÑO, M. I. ACEDO and M. RAMOS. 117

Main lactic acid bacteria isolated during ripening of Casar de Cáceres cheese. B. POULLET, M. HUERTAS, A. SÁNCHEZ, P. CÁCERES and G. LARRIBA . . 123

Use of Peldri II (a fluorocarbon compound) in the preparation of cheese samples for examination by scanning electron microscopy. M. FRAU, A. BLANCO, J. CAÑELLAS and C. ROSSELLÓ 129

No. 2 (May 1993)

Effects on milk yield and composition of intra-abomasal infusions of sodium caseinate, an enzymic hydrolysate of casein or soya-protein isolate in dairy cows. J.-J. Choung and D. G. Chamberlain 133

Changes in milk on heating: viscosity measurements. T. J. M. Jeurnink and K. G. De Kruif 139

Influence of processing on the molecular modifications of milk proteins in the course of enzyme coalgulation. S. Iametti, R. Giangiacomo, G. Messina and F. Bonomi 151

Ultrafiltration with a microfiltration membrane of acid skimmed and fat-enriched milk coagula: hydrodynamic and rheological approaches. H. Attia, M. Bennasar, A. Lagaude, B. Hugodot, J. Rouviere and B. Tarodo de la Fuente 161

Multinuclear NMR study of the pH dependent water state in skim milk and caseinate solutions. P. Mariette, C. Tellier, G. Brulé and P. Marchal . 175

Purification and characterization of three proteins isolated from the proteose peptone fraction of bovine milk. E. S. Sørensen and T. E. Petersen . . 189

Neutral volatile compounds in the raw milks from different species. L. Moio, J. Dekimpe, P. Etievant and F. Addeo 199

Powerful odorants in bovine, ovine, caprine and water buffalo milk determined by means of gas chromatography-olfactometry. L. Moio, D. Langlois, P. Etievant and F. Addeo. 215

Routine Limulus amoebocyte lysate (LAL) test for the endotoxin determination in milk using a Toxinometer ET-201. J. Mottar, J. de Block, M. Merchiers, K. Vantomme and R. Moermans. 223

Purification and some properties of proteinase from *Pseudomonas fluorescens* No. 33. H. Kumura, K. Mikawa and Z. Saito 229

High-fat spreadable processed cheese for people with high blood cholesterol. N. A. Abou-Zeid 239

Yogurt production from reconstituted skim milk powders using different polymer and non-polymer forming starter cultures. C. Wacher-Rodarte, M. V. Galvan, A. Farres, F. Gallardo, V. M. E. Marshall and M. Garcia-Garibay 247

Short communications

Circulating proloactin levels in the newborn lamb. G. E. Thompson . . . 255

Effect of microwave heating on the thiamin content of cows milk. C. Vidal-Valverde and P. Redondo 259

Microflora present in kefir grains of the Galician region (North West Spain). L. Angulo, E. Lopez and C. Lema 263

Review article

Proteolytic enzymes of *Lactococcus lactis*. P. S. T. Tan, B. Poolman and W. N. Konings 269

No. 3 (August 1993)

Influence of switch level of automatic cluster removers on milking performance and udder health. M. D. Rasmussen 287

Effect of caprine arthritis–encephalitis virus infection on milk cell count and *N*-acetyl-β-glucosaminidase activity in dairy goats. D. P. Ryan, P. L. Greenwood and P. J. Nicholls 299

Bromocriptine treatment of periparturient goats: long-term suppression of prolactin and lack of effect on lactation. I. A. Forsyth and P. D. Lee . . 307

Concentration of citrate in the mammary secretion of sows during lactogenesis II and established lactation. M. A. Holmes and P. E. Hartmann . . . 319

Process integration study of a milk powder plant. L. J. Robertson and A. J. Baldwin 327

Proteolysis during storage of UHT milk: differences between whole and skim milk. R. López-Fandiño, A. Olano, N. Corzo and M. Ramos . . . 339

Rheology of whey protein concentrate solutions as a function of concentration, temperature, pH and salt concentration. Q. Tang, P. A. Munro and O. J. McCarthy 349

Effect of heat treatment and other milk proteins on the interaction of lactoferrin with monocytes. R. Oria, M. Ismail, L. Sánchez, M. Calvo and J. H. Brock 363

Numerical taxonomy of psychrotrophic bacteria isolated from raw ewes' milk. M.-R. García-Armesto, M. Prieto, C. Alonso, M.-L. García-López, M.-C. García-Fernández and A. Otero 371

Interactions of temperate bacteriophages of *Streptococcus salivarius* subsp. *thermophilus* with lysogenic indicators affect phage DNA restriction patterns and host ranges. B. Fayard, M. Haefliger and J.-P. Accolas. . 385

Proteolytic specificity of chymosin on bovine α_{s1}-casein. P. L. H. McSweeney, N. F. Olson, P. F. Fox, A. Healy and P. Højrup 401

Polyclonal antibodies with predetermined specificity against bovine α_{s1}-casein: application to the detection of bovine milk in ovine milk and cheese. M.-P. Rolland, L. Bitri and P. Besançon 413

Growth of *Listeria monocytogenes* in Camembert and other soft cheeses at refrigeration temperatures. J. P. Back, S. A. Langford and R. G. Kroll . 421

Relationships between plasmin levels in rennet caseins and proteolytic and rheological changes on storage of cheese analogues made from these caseins. D. M. Mulvihill and A. McCarthy 431

Short Communications

Heat treatment of milk can increase apparent fluorescent somatic cell count. T. CLARKE 439

Mitogenic activity of hydrophobic fractions of proteose peptone from cows', ewes' and goats' milk measured with MARK 3 hybridoma culture. A. MATI, F. MOULTI-MATI, J.-M. GIRARDET, E. FOKOU, F. BELLEVILLE-NABET, P. NABET and G. LINDEN 443

No. 4 (November 1993)

Milk removal in familiar and unfamiliar surroundings: concentrations of oxytocin, prolactin, cortisol and β-endorphin. R. M. BRUCKMAIER, D. SCHAMS and J. W. BLUM. 449

Yield and composition of milk from lactating mares: effect of body condition at foaling. M. DOREAU, S. BOULOT and Y. CHILLIARD 457

Preliminary stages of fouling from whey protein solutions. M. T. BELMAR-BEINY and P. J. FRYER 467

Discovery of an ovine α_{s2}-casein variant. L. CHIANESE, G. GARRO, F. ADDEO, G. LOPEZ-GALVEZ and M. RAMOS 485

Comparative study of the separation of casein from bovine, ovine and caprine milks using HPLC. S. E. KAMINARIDES and E. M. ANIFANTAKIS 495

Effect of the A and B variants of both α_{s1}- and κ-casein on bovine casein micelle solvation and κ-casein content. S. G. ANEMA and L. K. CREAMER 505

Enzyme-induced coagulation of casein micelles: a number of different kinetic models. D. B. HYSLOP 517

Phosphorylation, glycosylation and amino acid sequence of component PP3 from the proteose peptone fraction of bovine milk. E. S. SØRENSEN and T. E. PETERSEN 535

Oscillatory rheological study of the gelation mechanism of whey protein concentrate solutions: effects of physicochemical variables on gel formation. Q. TANG, O. J. MCCARTHY and P. A. MUNRO 543

Growth of lactic acid bacteria and bifidobacteria on lactose and lactose-related mono-, di- and trisaccharides and correlation with distribution of β-galactosidase and phospho-β-galactosidase. J. B. SMART, C. J. PILLIDGE and J. H. GARMAN 557

Toxin production by *Bacillus cereus* in dairy products. A. D. SUTHERLAND . . 569

Influence of pH and sugars on the growth and production of diarrhoeagenic toxin by *Bacillus cereus*. A. D. SUTHERLAND and A. M. LIMOND 575

Production of a bacteriocin active on lactate-fermenting clostridia by *Lactococcus lactis* subsp. *lactis* immobilized in coated alginate beads. N. ZEZZA, G. PASINI, A. LOMBARDI, A. MERCENIER, P. SPETTOLI, A. ZAMORANI and M. P. NUTI. 581

Flow behaviour of low solids fresh cheeses. J. KOROLCZUK 593

Review article

Composition and characteristics of camel milk. Z. FARAH 603